


Notes: (Unless Otherwise Specified).
 1) DIMENSIONS IN inches.
 2) ALL EXPOSED METAL AND METALLIZED AREA SHALL BE GOLD PLATED 60 MICRO INCH MIN. THK. OVER NICKEL PLATED.
 3) SEAL AREA AND DIE ATTACH AREA SHALL BE ISOLATED FROM ANY LEADS. (ZERO GROUND).


APPROVALS	DATE	TopLine®			
DRAWN T. Au	1/5/2017				
ENG M. Hart	1/5/2017	TITLE CLCC48J40-N260 DIE CAVITY 0.260" (6.6mm)			
MFG		SCALE	SIZE	DRAWING NO.	REV
QA		3:1	A	169668	A
CUST		DO NOT SCALE DRAWING			SHEET 1 OF 4
REVISED					

BONDING PADS




TopLine[®]			
TITLE CLCC48J40-N260 DIE CAVITY 0.260" (6.6mm)			
SCALE 16:1	SIZE A	DRAWING NO. 169668	REV A
DO NOT SCALE DRAWING			SHEET 2 OF 4


**MODELS
OPEN CAVITY**



TOP



BOTTOM




EDGE


TopLine[®]			
TITLE CLCC48J40-N260 DIE CAVITY 0.260" (6.6mm)			
SCALE 3:1	SIZE A	DRAWING NO. 169668	REV A
DO NOT SCALE DRAWING			SHEET 3 OF 4

COMBO LID



TOP



SIDE



BOTTOM



MODEL

NOTES:

1. BASE MATERIAL: KOVAR or ALLOY 42.
2. PLATING: Ni 50~350 MICRO-INCH PER SIDE.
Au 25 MICRO-INCH MIN PER SIDE.
3. SOLDER PREFORM: Au 80% ±1.0 Sn 20%.
4. FLATNESS 1.0 MIL (25um) MAXIMUM PER 0.5-inch (12.7mm).

TopLine®			
TITLE		CL385-SQ-A COMBO LID	
SCALE	SIZE	DRAWING NO.	REV
5:1	A	182076	A
DO NOT SCALE DRAWING			SHEET 4 OF 4